



## 1500 W ROTARY HAMMER VIMP1500

1500W rotary hammer with an impact energy of 2-15J, a no-load rotation speed of 150-305rpm and an impact frequency of 1380-2760ipm. It also has SDS-Max/Plus chuck, 2 functions, to perform all activities with quality.

### Key features

> SDS-max chuck, high power and impact supported by an anti-vibration system, it guarantees excellent performance in the toughest and most demanding jobs. - Ergonomic and comfortable to use. - Chisel position adjustment, speed variation, continuous operation - hammer mode, safety clutch device.



### Specifications

Auxiliary handle vibration (ah) - chiselling	7,4 m/s <sup>2</sup>
Auxiliary handle vibration (ah) - drilling	6,7 m/s <sup>2</sup>
Carrying case	BMC
Chisel position adjustment	Yes
Chisel positions	12
Concrete drilling diameter	25 - 45 mm
Continuous operation - Hammer function	Yes
Core bit maximum diameter	160 mm
Dimensions	560 x 110 x 280 mm
Drill bit maximum diameter	52 mm
Drill chuck	SDS-Max
Functions	2
Impact energy	2 - 15 J
Impact frequency	1380 - 2760 ipm
Insulation class	II
Main handle vibration (ah) - chiselling	8,5 m/s <sup>2</sup>
Main handle vibration (ah) - drilling	11,9 m/s <sup>2</sup>
Motor type	Carbon brushes
No-load Speed	150 - 305 rpm
Packaging dimensions	595 x 160 x 430 mm
Power cord	4 m
Product weight	9,15 Kg
Rated power	1500 W
Safety clutch	Yes

**Specifications**

Sound power level (LWA) - chiselling	<b>109 dB, k = 3</b>
Sound power level (LWA) - drilling	<b>o 98 dB, k = 3</b>
Sound pressure level (LpA) - chiselling	<b>98 dB, k = 3</b>
Sound pressure level (LpA) - drilling	<b>87 dB, k = 3</b>
Supply voltage	<b>230 V AC 50 Hz</b>
Variable speed	<b>Yes</b>
Weight with packaging	<b>13,40 Kg</b>